


# EasyQRCode

QR code reading library



## At a Glance

- Automatic detection of the code in the image
- Decodes model 1 and model 2 QR codes, all versions, all levels
- Decodes Micro QR codes
- Very fast operation
- Impressive robustness to noise, blur and distortion
- Error detection and correction
- Rotation and flipping invariant
- Print quality verification with grading standards
- Multiple codes reading

## Benefits

### New in Open eVision 24.02

EasyFind : Significant speed increase, without any loss of accuracy.

EasyImage

- New Gabor filtering function to help with texture analysis and edge detection.
- New inverse circle warp function, providing conversion between polar and cartesian coordinates.

Easy: Improved off-screen rendering on all platforms.

Admin: Simplified version upgrade procedure with version numbers removed from filenames.

### Open eVision Studio: Evaluation, prototyping and development tool

Open eVision Studio is the evaluation, prototyping and development tool of Open eVision. Its intuitive graphical user interface allows you to call and immediately see the result of any of eVision's 2D image processing functions. A scripting functionality generates the corresponding code, which can then be copied and pasted into your application.

Open eVision Studio is free (when using Open eVision 2.0 and above) and does not require any license.

Just click on DOWNLOAD OPEN EVISION STUDIO and install Open eVision. Sample images, manuals and sample programs are included.

### EasyQRCode Description

QR codes are 2D bar codes. They are widely used for their fast readability, high reliability and their large storage capacity compared to ordinary barcodes.

EasyQRCode is a robust QR code reading library for industrial applications such as part identification and product or time tracking. These applications typically require the fast and reliable decoding of variable-content QR codes.

## New in Open eVision 23.12

Import of standard datasets into Deep Learning Studio

- Import of COCO Json dataset for EasyLocate or EasySegment Supervised
- Import of YOLO TXT annotations for EasyLocate
- Import of Pascal VOC XML annotations for EasyLocate

EasySpotDetector (Beta release, contact us for more information)

- A single API and license for the alignment of region of interest, surface defect detection (particles, scratches,...) and classification with a custom trained Deep Learning classifier.
- Realtime processing for inline surface inspection

## Automatic extensive decoding

The following code types are supported:

- Data: Kanji, numeric, alphanumeric, byte and mixed FNC1
- Model 1 QR Codes, all versions (1-14), all levels
- Model 2 QR Codes, all versions (1-40), all levels
- GS1 symbology

## DPM - Direct Part MarksDPM

EasyQRCode algorithms have been specifically optimized to read direct part marks. They support the low contrast and distorted codes resulting from dot peening, laser marking, ink jet printing or electro-chemical etching on various materials.

## Print quality verification

EasyQRCode inspects the quality of the QR code and computes indicators as defined by the ISO/IEC 15415 and ISO/IEC TR 29158 standards.

## ECodeReader: More codes in one scan

ECodeReader simplifies the process of reading multiple codes and types within the same image by integrating EasyMatrixCode2, EasyBarCode2 and EasyQRCode into a single, simple, and unified interface.

In some applications, reading multiple code types is a requirement. Doing so, required until now, the use of multiple Code Readers (i.e. one per code type).

ECodeReader simplifies that process by integrating the power of EasyMatrixCode2, EasyBarCode2 and EasyQRCode into a single, simple, and unified interface.

With ECodeReader, you can thus read Barcodes, Data Matrix codes and QR codes with a single method call.

Note: ECodeReader requires the EasyMatrixCode, EasyBarCode and EasyQRCode licenses.

## Also for Micro QR Codes

Open eVision can also detect and decode Micro QR Codes using its EQRCodeReader class.

A more compact version of the regular QR Code, used when less data need to be encoded.

Check it with the latest revision of Open eVision Studio & sample programs.

## Neo Licensing System

- Neo is the new Licensing System of Euresys. It is reliable, state-of-the-art, and is now available to store Open eVision and eGrabber licenses.
- Neo allows you to choose where to activate your licenses, either on a Neo Dongle or in a Neo Software Container. You buy a license, you decide later.
- Neo Dongles offer a sturdy hardware and provide the flexibility to be transferred from a computer to another.
- Neo Software Containers do not need any dedicated hardware, and instead are linked to the computer on which they have been activated.
- Neo ships with its own, dedicated, Neo License Manager, which comes in two flavours: an intuitive, easy to use, Graphical User Interface and a Command Line Interface that allows for easy automation of Neo licensing procedures.

## All Open eVision libraries are available for Windows and Linux

- Microsoft Windows 11, 10, 8.1, 7 for x86-64 (64-bit) processor architecture
- Linux for x86-64 (64-bit) and ARMv8-A (64-bit) processor architectures with a glibc version greater or equal to 2.18

## Applications

### Machine Vision for the Electronic Manufacturing Industry

- Mark inspection

### Machine Vision for the General Manufacturing Industries

- Product identification for traceability
- Code quality verification for label printing machines

### Machine Vision for the Printing Industry

- Label and packaging inspection: Inspection of the quality of the printing of characters and codes

## Specifications

### Software

Host PC Operating System	<ul style="list-style-type: none"> <li>• Open eVision is a set of 64-bit libraries that require an Intel compatible processor with the SSE4 instruction set or an ARMv8-A compatible processor.</li> <li>• Open eVision can be used on the following operating systems: <ul style="list-style-type: none"> <li>– Microsoft Windows 11, 10, 8.1, 7 for x86-64 (64-bit) processor architecture</li> <li>– Linux for x86-64 (64-bit) and ARMv8-A (64-bit) processor architectures with a glibc version greater or equal to 2.18</li> </ul> </li> <li>• Remote connections <ul style="list-style-type: none"> <li>– Remote connections are allowed using remote desktop, TeamViewer or any other similar software.</li> </ul> </li> <li>• Virtual machines <ul style="list-style-type: none"> <li>– Virtual machines are supported. Microsoft Hyper-V, Oracle VirtualBox and libvirt hypervisors have been successfully tested.</li> <li>– Only the Neo Licensing System is compatible with virtualization.</li> </ul> </li> <li>• Minimum requirements: <ul style="list-style-type: none"> <li>– 2 GB RAM to run an Open eVision application</li> <li>– 8 GB RAM to compile an Open eVision application</li> <li>– Between 100 MB and 2 GB free hard disk space for libraries, depending on selected options.</li> </ul> </li> </ul>
APIs	<ul style="list-style-type: none"> <li>• Supported Integrated Development Environments and Programming Languages: <ul style="list-style-type: none"> <li>– Microsoft Visual Studio 2017 (C++, C#, VB .NET, C++/CLI)</li> <li>– Microsoft Visual Studio 2019 (C++, C#, VB .NET, C++/CLI)</li> <li>– Microsoft Visual Studio 2022 (C++, C#, VB .NET, C++/CLI)</li> <li>– QtCreator 4.15 with Qt 5.12</li> </ul> </li> </ul>

## Ordering Information

Product code - Description	<ul style="list-style-type: none"> <li>• 4175 - Open EasyQRCode for USB dongle</li> <li>• 4225 - Open EasyQRCode for PAR dongle</li> <li>• 4325 - Open eVision EasyQRCode</li> </ul>
----------------------------	--

Optional accessories

- 6512 - eVision/Open eVision USB Dongle (empty)
  - 6513 - eVision/Open eVision Parallel Dongle (empty)
  - 6514 - Neo USB Dongle (empty)
-



## EMEA

### **Euresys SA**

Liège Science Park - Rue du Bois Saint-Jean, 20  
4102 Seraing - Belgium

Email: [sales.europe@euresys.com](mailto:sales.europe@euresys.com)

## EMEA

### **Sensor to Image GmbH**

Lechtorstasse 20  
86956 Schongau - Germany

Email: [sales.europe@euresys.com](mailto:sales.europe@euresys.com)

## AMERICA

### **Euresys Inc.**

316 Prado Way  
Greenville, SC 29607 - United States

Email: [sales.americas@euresys.com](mailto:sales.americas@euresys.com)

## ASIA

### **Euresys Pte. Ltd.**

750A Chai Chee Road - #07-15 ESR BizPark @ Chai Chee  
Singapore 469001 - Singapore

Email: [sales.asia@euresys.com](mailto:sales.asia@euresys.com)

## CHINA

### **Euresys Shanghai Liaison Office**

Unit 802, Tower B, Greenland The Center - No.500 Yunjin Road, Xuhui District  
200232 Shanghai - China

Euresys上海联络处

上海市徐汇区云锦路500号绿地汇中心B座802室  
200232

Email: [sales.china@euresys.com](mailto:sales.china@euresys.com)

## CHINA

### **Euresys Shenzhen Liaison Office**

Room 1202 - Chinese Overseas Scholars Venture Building  
518057 Shenzhen - China

Euresys深圳联络处

深圳南山区留学生创业大厦1期1202  
518057

Email: [sales.china@euresys.com](mailto:sales.china@euresys.com)

## JAPAN

### **Euresys Japan K.K.**

Expert Office Shinyokohama - Nisso Dai 18 Building, Shinyokohama 3-7-18, Kohoku  
Yokohama 222-0033 - Japan

〒222-0033

神奈川県横浜市港北区新横浜3-7-18 日総第18ビル エキスパートオフィス新横浜

Email: [sales.japan@euresys.com](mailto:sales.japan@euresys.com)

More at [www.euresys.com](http://www.euresys.com)

